

PRODUCT OVERVIEW

The EV-BS20 Series is an app based charger that works with both iOS and Android systems. Powerful and easy to operate.

FEATURES

- Connects via Bluetooth
- Generates charging records that can be exported and remotely updated
- Can be wall mounted or installed on free standing pedestal
- Easy and convenient installation
- Works with voltage ranges from 110V to 400V (+10%)
- IP66 waterproof protection for outdoor use
- Compatible with all major EVs

APPLICATIONS

- Home charging
- Retail shopping centers
- Corporate office complexes
- C-Stores & gas stations
- Hotels & resorts
- Restaurants
- Entertainment venues
- Stadiums and sports arenas
- Fleets
- Customer loyalty programs



Product Description

PART#	DESCRIPTION	INPUT VOLTAGE	OUTPUT RATING	CHARGING INTERFACE	WEIGHT
EV-BS20-BA	32A EV Charger	230VAC	7.6kW	Type 2 Socket	13-17 LBS
EV-BS20-BC	32A EV Charger	230VAC	7.6kW	Type 2 Plug	13-17 LBS

Specifications

MODEL#		EV-BS20-BA	EV-BS20-BC
Input/Output Voltage	230VAC		
Input Frequency	47-63Hz		
Max Output Power	8.8kW (Single Phase)		
Max Output Current	40A		
Charging Interface Type	SAE J1772		
PROTECTION			
Over Voltage Protection	Yes		
Under Voltage Protection	Yes		
Overload Protection	Yes		
Short Circuit Protection	Yes		
Ground Leakage Protection	Yes		
Over-temp Protection	Yes		
Lightning Protection	Yes		
FUNCTION			
WiFi/Bluetooth	Yes		
LCD	3.5" color display		
RCD	Type A / Type A + 6mA DC		
LED Indicator Light	Yes		
Intelligent Power Adjustment	Yes		
RFID	Optional		
WORKING ENVIRONMENT			
Protection Degree	IP66		
Temperature	-40°F ~ 167°F		
Relative Humidity	0-95% non-condensing		
Maximum Altitude	<6561 FT		
Cooling	Natural air cooling		
Standby Power Consumption	<8W		
MECHANICAL			
Connector	Type 2 Socket (Type 1 Optional)	Type 2 Plug (Type 1 Optional)	
Dimensions	3.74" x 7.67" x 2.55"		
Weight	13-17 LBS		
MOUNTING ACCESSORIES			
Wall Mounting Bracket	Yes		
Free Standing Pedestal	Optional		
CERTIFICATIONS			
Certifications	CE, RoHS, ETL, FCC		

Product Details



PC-ABS Material

Desirable properties of both materials, superior strength and heat resistance of PC and flexibility of ABS

BS20-BC



EV Charger	44.3°C
30.8A	
212V 1.14Kwh 00:11:04	
Rated	32A

LCD Display

Can indicate charging status like charging time, voltage, power consumption etc



Button Switch

Can press the button to boot or break

Optional Plugs

High Compatibility

Fitting 99.5% EVs, 100% correctly and effectively

Safety Protection

Provide full and complete protection while charging

Waterproof Rating up to IP66

Can maintain normal use even in extreme weather



Type 1

Pole

Charging station can also be installed on the pole, especially designed for Besen charging station



BS20-BA

- Socket outlet for EV charging with alternating current (AC)
- Compatible with type 2 plugs
- For installation on charging station for E-Mobility (EVSE)



⌚ Charging Time Setting

Freely set the charging time and duration

📅 Charging History Record

Query charging history anytime, anywhere

🔧 Firmware Update

Make app version upgrades

📶 Remote Control by APP

Start or stop charging via Wifi or Bluetooth